



Date: Tuesday, 11/14/2006 10:03:17 AM
 User: Kim Johnston

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : MIRROR ARM
Job Number : 29419	
Estimate Number : 10335	
P.O. Number : N/A	Part Number : D2010104
This Issue : 11/14/2006 S.O. No. : N/A	Drawing Number : D2010 REV. C2
Prsht Rev. : NC	Project Number : N/A
First Issue : N/A Type : SMALL / MED FAB	Drawing Revision : C2
Previous Run : 27279	Material : N/A
Written By : 	Due Date : 12/20/2006 Qty: 10 Um: Each
Checked & Approved By : 	
Comment : Est A 04.02.17 New issue KJ/JLM	

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
----------------	------------------------------	----------------------

1.0	M304TR0500W035	304 RD Tube .500 x .035W
-----	----------------	--------------------------



Comment: Qty.: 1.5750 f(s)/Unit Total : 15.7500 f(s)
 Material: 304/316 SS tubing 0.500" Dia. x 0.035" wall
 (M304TR0500W035) Batch No: M102450 (26)

M102742 (24)

FF 06-11-20

⑩

⑩

2.0	BRAKE NC	NC BRAKE
-----	----------	----------



Comment: BRAKE NC
 Punch per Dwg. D2010-104 and Spec Control Dwg D2727
 Identify as D2010-104

FF 06-11-20

⑩

⑩

3.0	SMALL FAB 1	SMALL & MEDIUM FAB RESOURCE 1
-----	-------------	-------------------------------



Comment: SMALL & MEDIUM FAB RESOURCE 1
 1- Bend as per Dwg D2010 using bending Jig D2010-104T2
 2- Deburr

FF 06-11-21

⑩

⑩

4.0	D2057	Plug
-----	-------	------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 10.0000 Each(s)
 Plug

B 21675 (29)

B 25655 (28)

FF 06-11-21

⑩

5.0	SMALL FAB 1	SMALL & MEDIUM FAB RESOURCE 1
-----	-------------	-------------------------------



Comment: SMALL & MEDIUM FAB RESOURCE 1
 Install D2057 plug as per Dwg D2010

FF 06-11-22

⑩

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☒ No ☐ DQA: DR Date: 06/12/01
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Tuesday, 11/14/2006 10:03:17 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: MIRROR ARM

Job Number: 29419

Part Number: D2010104

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

MOG/11/23

(10)

7.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat Black Sandtex (Ref: 4.3.5.7) as per QSI 005 4.3

Q.M

06/11/30

(10)

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT

PU 6/12/01

(10)

9.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: 57203

PU 6/12/01

(10)

10.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

06/12/01

(10)

Job Completion



CLO 6/12/01

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

RELEASED
04-02-03



SCALE 4:1
Superceded by D2057 rev B
REV 01.05.18 15RA1229



DESIGN KE	DRAWN BY KE	DART AEROSPACE LTD VICTORIA INTERNATIONAL AIRPORT, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D2727	REV. A SHEET 1 OF 1
DATE 97.11.24		TITLE PUNCH DT8012 SPEC CONTROL	SCALE 2:1
A	97.11.24	NEW ISSUE	
A1	01.12.20	ADD TOLERANCE NOTE	

SPECIFICATION CONTROL DRAWING FOR PUNCH DT8012

RELEASED
98/03/06 KE



NOTE: TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE